BUILDING TRUST

PRODUCT DATA SHEET

SikaCeram® LatexGrout

Latex Additive To Improve The Performance Of Cementitious Grouts

DESCRIPTION

SikaCeram® LatexGrout is a synthetic latex emulsion additive which replaces the mixing water of powdered cementitious grouts. When mixed with the grout powder it increases adhesion, surface hardness, flexibility, mechanical strengths, and reduces absorption. Suitable grouts for mixing are SikaCeram® SmallGrout, SikaCeram® LargeGrout, SikaCeram® CleanGrout.

USES

- Ceramic floors subjected to intensive pedestrian traffic
- Ceramic cladding fixed on wood
- Ceramic cladding installed outdoors or in swimming pools
- Floorings subjected to frequent and thorough washing, such as bathrooms
- Showers in gymnasiums, sports centres, etc.

FEATURES

- Increases adhesion to the tile
- Increases surface hardness
- Increases flexibility
- Increases mechanical strengths
- Reduces absorption

PRODUCT INFORMATION

Composition	Synthetic resin based water emulsion and special additives
Packaging	1 kg and 5 kg containers Refer to current price list for packaging variations.
Appearance and colour	White liquid emulsion
Shelf life	12 months from date of production
Storage conditions	Product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +35 °C. Always refer to packaging.
Density	~1,08 kg/L

APPLICATION INFORMATION

Consumption

Product to be mixed	Quantity of SikaCeram® LatexGrout
SikaCeram® CleanGrout	1,4 L per 5 kg bag
SikaCeram® SmallGrout	1,9 L per 5 kg bag
SikaCeram® LargeGrout	5,5 L per 25 kg bag

BASIS OF PRODUCT DATA

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

IMPORTANT CONSIDERATIONS

- Refer to SikaCeram® SmallGrout, SikaCeram® LargeGrout, SikaCeram® CleanGrout Product Data Sheets

ECOLOGY, HEALTH AND SAFETY

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

SUBSTRATE QUALITY / PRE-TREATMENT

Refer to SikaCeram® SmallGrout, SikaCeram® LargeGrout, SikaCeram® CleanGrout Product Data Sheets

MIXING

Refer to SikaCeram® SmallGrout, SikaCeram® LargeGrout, SikaCeram® CleanGrout Product Data Sheets and replace water quantities with SikaCeram® LatexGrout

APPLICATION

Refer to SikaCeram® SmallGrout, SikaCeram® LargeGrout, SikaCeram® CleanGrout Product Data Sheets

CLEANING OF EQUIPMENT

Clean all tools and application equipment with water immediately after use. Hardened material can only be mechanically removed.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for exact product data and uses.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommenda-

tions. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Near East s.a.l.
Sector 5, Road 70,
Sin El Fil-Jisr el Bacha
P.O. Box 55163 - Beirut · Lebanon
Phone: +961 1 510270
Fax: +961 1 510271
bn.sika.com