

# Sikadur® Aggregates

## Selected Quartz Sand Gradings for Special Flooring Application

		Grading	Bulk Density	Packaging
<b>Sikadur®-504</b>	Component C (filler) for self-levelling Sikafloor® products <ul style="list-style-type: none"> <li>• Sikafloor®- 161 (Scratch coat)</li> <li>• Sikafloor®- 263</li> <li>• Sikafloor®- 325</li> <li>• Sikafloor®- 326</li> <li>• Sikafloor®- 300</li> <li>• Sikafloor®- 330</li> <li>• Sikafloor®- 262(AS)</li> <li>• Sikafloor®- 381(AS)</li> </ul>	0.08 - 0.2 mm	1.5 Kg/Lt.	25 Kg bag
<b>Sikadur®-505</b>	Broadcasting aggregates (not Component C) for Sikafloor® and Sikagard® products Such as: <ul style="list-style-type: none"> <li>• Sikafloor®- 81 Epocem</li> <li>• Sikafloor®- 82 Epocem</li> <li>• Sikafloor®- 161</li> <li>• Sikafloor®- 264</li> <li>• Sikafloor®- 264 SG</li> <li>• Sikafloor®- 264 TD</li> <li>• Sikafloor®- 325</li> <li>• Sikafloor®- 326</li> <li>• Sikafloor®- 350 Elastic</li> </ul>	0.1- 0.5 mm	1.4 Kg/Lt.	25 kg bag
<b>Sikadur®-506</b>	Component C (aggregates) for Mortar screeds for Sikafloor® products such as: <ul style="list-style-type: none"> <li>• Sikafloor®- 161</li> <li>• Sikafloor®- 264</li> </ul>	combination of different gradings 0.1 - 1.2 mm	1.8 Kg/Lt.	25 Kg bag
<b>Sikadur®-507</b>	Broadcasting aggregates (not Component C) for Sikafloor® products such as: <ul style="list-style-type: none"> <li>• Sikafloor®- 81 Epocem</li> <li>• Sikafloor®- 82 Epocem</li> <li>• Sikafloor®- 161</li> <li>• Sikafloor®- 264</li> <li>• Sikafloor®- 264 SG</li> <li>• Sikafloor®- 264 TD</li> <li>• Sikafloor®- 325</li> <li>• Sikafloor®- 326</li> <li>• Sikafloor®- 350 Elastic</li> </ul>	0.3 - 0.7 mm	1.5 Kg/Lt.	25 Kg bag
<b>Sikadur®-508</b>	Broadcasting aggregates (not Component C) for : <ul style="list-style-type: none"> <li>• Sikafloor®- 2430</li> </ul>	0.1 - 0.3 mm	1.5 Kg/Lt.	25 Kg bag
<b>Sikadur®-509</b>	Coarse broadcasting aggregates (not component C) for Sikafloor® and Sikagard® products ( See Sikadur®-505 & 507)	0.7 - 1.2 mm	1.5 Kg/Lt.	25 Kg bag
<b>Sikadur®-513</b>	Component C (filler) for self-levelling Sikafloor®-263 SL (5mm thick application)	>0.0 - 0.85mm	1.5 Kg/Lt.	18 Kg bag

---

**Value Base**

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

---

**Local Restrictions**

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

---

**Health and Safety Information**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

---

**Legal Notice**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

---

All products are manufactured under a management system certified to conform to the requirements of the quality, environmental and occupational health & safety standards ISO 9001, ISO 14001 and OHSAS 18001.



Sika UAE L.L.C  
P.O. Box 126212  
Dubai,  
United Arab Emirates  
Phone: +971 4 4398200  
info@ae.sika.com  
http://gcc.sika.com

Sika Gulf B.S.C (c)  
P.O. Box 15776  
Adliya,  
Kingdom of Bahrain  
Phone: +973 17738 188  
sika.gulf@bh.sika.com  
http://gcc.sika.com

Sika Saudi Arabia Co. Ltd  
P.O. Box 58647,  
Riyadh 11583,  
Kingdom of Saudi Arabia  
Phone: +9661 2176532  
info@sa.sika.com  
http://gcc.sika.com

